(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 11 August 2005 (11.08.2005)

PCT

(10) International Publication Number WO 2005/072866 A1

(51) International Patent Classification⁷: **B01J 23/75**, 23/755, 23/889, 23/89, 35/00, 37/02, C07C 1/04

(NO). SINCADU, Nonyameko [ZA/ZA]; PO Box 11103, Heiderand 6511 (ZA).

(21) International Application Number:

PCT/GB2005/000287

(74) Agents: REES, David, Christopher et al.; Kilburn & Strode, 20 Red Lion Street, London WC1R 4PJ (GB).

(22) International Filing Date: 27 January 2005 (27.01.2005)

English

(26) Publication Language:

English

(30) Priority Data: 0401829.7

(25) Filing Language:

28 January 2004 (28.01.2004) GB

(71) Applicants (for all designated States except US): STATOIL ASA [NO/NO]; N-4035 Stavanger (NO). PETROSA [ZA/ZA]; 2 Portswood Square, Dock Road V & A Waterfront, Waterfront, Cape Town 8001, Private Bag X1, Waterfront 8002 (ZA).

(71) Applicant (for BB only): REES, David, Christopher [GB/GB]; 20 Red Lion Street, London WC1R 4PJ (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): RYTTER, Erling [NO/NO]; Steinasen 19, N-7049 Trondheim (NO). SKAGSETH, Torild, Hulsund [NO/NO]; Nedre Grilstadkleiva 37, N-7054 Ranheim (NO). WIGUM, Hanne [NO/NO]; Nedre Mollenberggate 76A, N-7043 Trondheim

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: FISCHER-TROPSCH CATALYSTS

(57) Abstract: A method of producing an alumina-supported catalyst for use in a Fischer-Tropsch synthesis reaction, which comprises: calcining an initial γ -alumina support material at a temperature of at least 550°C to produce a modified alumina support material; impregnating the modified alumina support material with a source cobalt; calcining the impregnated support material at a temperature of 700°C to 1200°C, and activating the catalyst.

